

System requirements for the latest release versions of CAAS and 3mensio applications.

---

## Contents

1.	3mensio Workstation .....	2
2.	CAAS Workstation .....	3
3.	CAAS MR Solutions .....	5
4.	CAAS Qardia .....	6

## 1. 3mensio Workstation

Version: **10.6**

### Hardware configuration:

For use with 4D datasets (Mitral, Tricuspid, 3D US)

- Intel i7, AMD Ryzen 7 or better CPU
- 1 TB SSD for data
- 32 GB of RAM
- Discrete DX11 GPU (min 2GB VRAM), or
- Intel UHD 750 GPU or better
- 1920x1080 resolution

For use with 3D datasets (aortic valve, LAA, Vascular)

- Intel i5 / AMD Ryzen or equivalent CPU
- 512 GB SSD for data
- 16 GB of RAM
- Discrete DX11 GPU (min 2GB VRAM), or
- Intel UHD 750 GPU or better (min. Intel UHD 620 GPU)
- 1920x1080 or higher resolution

### Supported operating systems:

- Windows 10 / 11 (64 bit) (excluding Windows 10 LTSC 1503)
- Microsoft Windows Server 2016 / 2019 / 2022 (shared archive only)

### 3mensio on an Apple Mac is supported using Parallels, with the following conditions:

#### Apple Mac M1 based and later

- Parallels 17
- Windows 11 (64 bit Arm edition)

#### Intel based Apple Mac

- Mac hardware supports DirectX 10
- Parallels version is 15.0 or higher
- At least 4 Gb of RAM available for virtual machine

When Parallels is used:

- Retina resolution is turned off (parallels VM config)
- Video memory set at max. 512 MB (parallels VM config)
- It is recommended to have at least 4 GB of RAM available for the VM.

## 2. CAAS Workstation

Version: 9.2

### Specifications for the Server

Minimum hardware requirements:

- Computer with an Intel Core 5 equivalent or higher
- 16 GB available memory
- Network connectivity and available network bandwidth of at least 10 Mbps
- At least 1 GB of free disc space

Supported Operating Systems:

- Windows Server 2016
- Windows Server 2019
- Windows Server 2022
- Windows 10 (64 bit version)
- Windows 11 (64 bit version)

### Specifications for the Client

Minimum hardware requirements:

- Minimum screen resolution of 1920 x 1080 (landscape) or 1080 x 1920 (portrait) and 16 M colors
- Minimum screen diagonal 9.7"
- Network connectivity and available network bandwidth of at least 10 Mbps
- Mouse like pointer device with mouse wheel or trackpad
- Standard keyboard
- Touchscreen

Supported Web Browsers:









- Google Chrome (version  $\geq 79$ ) for Windows and macOS/iOS/iPadOS
- Microsoft Edge, chromium-based (version  $\geq 79$ ) for Windows and macOS/iOS/iPadOS
- Apple Safari (version  $\geq 12$ ) for macOS/iOS/iPadOS
- Browser size  $\geq 1024 \times 768$  (landscape) or  $\geq 768 \times 1024$  (portrait)

**NOTE:** In case server and client are deployed on the same physical machine, a Windows Operating System is required

Prerequisite software components CAAS Workstation requires the following software components:

- Microsoft ASP.NET Core 6.0.11
- Microsoft Visual C++ 2015-2022 redistributable package
- Microsoft Windows Desktop Runtime 6.0.11
- Microsoft .NET Framework 4.8
- Sentinel Runtime Environment 9.14

Version: 8.5

	<p>Computer / Processor</p>	<p>Intel Core 5 equivalent CPU or higher (Intel Core 7 equivalent CPU or higher for IV-LINQ with streaming device)</p>
	<p>Operating system</p>	<p>Windows 10 64-bit Windows 8 and 8.1 64-bit Windows 7 64-bit with Service Pack 1 (SP1) or higher</p> <p><b><i>Please be aware that, even though CAAS Workstation is tested on Windows 7 and Windows 8, no security updates are provided by Microsoft anymore.</i></b></p>
	<p>Video card</p>	<p>In case the QCA3D, IV-LINQ and vFFR extension is used, a video card of 256 MB or higher and OpenGL 1.1 support</p>
	<p>Memory</p>	<p>4 GB Ram (8 GB Ram for IV-LINQ with streaming device)</p>
	<p>Monitor</p>	<p>Minimum screen resolution of 1280 x 800</p>
	<p>Hard drive</p>	<p>SSD with 500mb of free diskspace</p>
	<p>Drive</p>	<p>DVD-ROM drive (if installation is done from a CD-ROM)</p>
	<p>Peripherals</p>	<p>Two button mouse device, mouse wheel is recommended PC standard keyboard USB port for the software protection device which supports at least USB 1.0 compatible devices (USB 3.0 port for connecting the IV-LINQ streaming device)</p>

### 3. CAAS MR Solutions

Version: 5.3

Recommended hardware:

- Computer/Processor
  - Computer with an Intel Core 5 equivalent or higher.
- Memory
  - 16 GB Ram or higher
- Hard Drive
  - SSD
- Drive
  - CD-ROM drive (if installation is done from a CD-ROM)
- Graphics Card
  - Graphics card that supports OpenGL version 3.3 or higher (memory  $\geq$  2 Gb)
  - Graphics card NVIDIA Quadro or higher
- Monitor
  - Color monitor
  - Minimum resolution of 1280x1024
- Peripherals
  - A two button mouse device with mouse wheel
  - A PC standard keyboard
  - One USB port for the software protection device which supports USB 3.0 compatible devices

Supported Operating Systems:

- Windows 10 (64-bit)
- Windows 11 (64-bit)
- Windows Server 2016
- Windows Server 2019
- Windows Server 2022

All service packs are supported

## 4. CAAS Qardia

Version: 2.0

### Specifications for the server

Supported operating systems:

- Windows Server 2012
- Windows Server 2016
- Windows Server 2019
- Windows 10 (64 bit versions)

Recommended hardware:

- Computer with an Intel Core 5 equivalent or higher
- HD access time < 12 ms
- 16 GB available memory (available = not consistently claimed by other applications)
- Network connectivity and available network bandwidth of at least 10 Mbps (available = available for the necessary communication of Caas Qardia, not used by other processes)
- A graphics card of 256 MB that supports at least OpenGL 3.3

### Specifications for the workstation

Supported web browsers (assuming up to date versions are available):

- Google Chrome
- Microsoft Edge (Chromium-based)
- Mozilla Firefox
- Safari on Mac OS

Required operating systems are any version of Windows or Mac OS that supports these browsers. Other operating systems that support these browsers may be usable, but have not been tested by Pie Medical Imaging.

Recommended hardware:

- Available network bandwidth of 10 Mbps (available = available for the necessary communication of Caas Qardia, not used by other processes)
- Mouse like pointer device with mouse wheel (or trackpad)
- Standard keyboard
- A color monitor with a minimum screen resolution of 1280 x 1024 (landscape) and 16 M colors, with a sufficiently high refresh rate

### Client-based deployment

Workstation must adhere to the hardware and OS requirements for the server, as described above in 'Server-based deployment'.

Workstation must also adhere to the hardware and browser requirements for the workstation, as described above in 'Server-based deployment'.